

HERBAL BODY WRAP

PRODUCT DATA SHEET

To Order Herbal Body Wraps Click Here

Life Force International's **Herbal Body Wrap** is a proprietary blend of 27 select minerals and herbs, including aloe vera. Aloe vera is scientifically proven to benefit skin.^{1,2} After properly preparing the Herbal Body Wrap mixture, the aloe vera helps to carry the other ingredients into the skin.³ Herbal Body Wrap is designed to detoxify the body, and in the process, you may experience toning and firming of your skin. Any toxins cleansed by an herbal body wrap can be secreted naturally through normal elimination channels. Some people experience inch loss and toning of the skin as a result of this process.

Not only is the skin your body's largest organ, it is also amazingly absorbent. In fact, it is often the preferred delivery pathway for many medications.⁴ Many nutritional components are delivered via skin creams and ointments.⁵

For thousands of years, body wraps have been used to cleanse, detoxify, and beautify. Today, more and more people are enjoying the relaxing, yet exhilarating, benefits of body wraps.

Your Home Spa – The Herbal Body Wrap is both a relaxing and invigorating experience. While wrapped, the moist warmth is soothing and aromatic. After about 60 minutes, the wraps come off to reveal a smoother, softer, and potentially reshaped version of you! You need only drink 8 glasses of water a day over the next 5 days to help maximize the effects.

As An Indulgent Bath – Try Herbal Body Wrap as a bath! Without someone to help wrap, it's easier, though not quite as effective. Still, it imparts tremendous benefits to the skin, and is so soothing!



Ingredients:

Herbal Blend (Alfalfa Leaf⁸, Chickweed Powder¹², Gentian Root²¹, Yarrow Powder³⁸, Comfrey Root¹³, Cornsilk Powder¹⁴, Capsicum Powder¹¹, Garlic Powder, Aloe Vera Concentrate)^{6, 7}, Burdock Root^{9, 10}, Dandelion Root¹⁵⁻¹⁷, Echinacea Purpurea Flower¹⁸, Fennel Seed^{19, 20}, Ginger Root^{22, 23}, Parsley Leaves²⁴, Peppermint Leaves^{30, 31}, Papaya Leaves^{32, 33}, Red Clover Tops³⁴, Bladderwrack^{36, 37}, Hawthorn Berries⁴⁶, Kelp^{47, 48}, Montmorillonite^{*40-42}, Passion Flower²⁵⁻²⁸, Pau D'Arco²⁹, Rosehips³⁵, Yellow Dock³⁹, Magnesium Sulfate⁴³⁻⁴⁵

*Ionic Trace Mineral Complex.

NOTE: In order to conduct a successful Herbal Body Wrap, you need to order two (2) sets of the Terry Wrap Cloths (SA 250). This product also has a video (SA 155) that explains in detail how to conduct a body wrap. Refer to the order form for more detail as well as pricing.

PRODUCT SPECIFICATIONS	
PRODUCT NUMBER	LF200
DESCRIPTION	Single application
QUANTITY	1 lb./ .454 kg



Potential Benefits From Ingredients That:

- Refresh and revitalize. ^{6,7}
- Cleanse toxins from the skin. ^{9,10}
- Can produce noticeable changes in body measurements. ¹²
- Can produce noticeable changes the appearance of cellulite. ³⁷

Suggested Use:

Each container of Herbal Body Wrap is good for one full body wrap. Prepare the wrap by following the easy-to-read instruction guide, or by viewing the instructional video. Drink at least 6-8 glasses of water daily for the next 5 days to maximize the effects. Best results are obtained by doing a series of 3-4 wraps, approximately 3 to 5 days apart.

Note: Herbal Body Wrap can also be used as a rejuvenation bath.

Before Wrap Preparation: Wash your new wraps in a biodegradable detergent and dry. Do not use bleach. To protect the cloths we suggest to wash in a lingerie bag or a pillowcase. Set aside 1-1/2 hours for your body wrap.

Preparing the solution: Fill a stainless steel or porcelain cooker with a gallon of distilled or purified water and bring to a boil. Add the Herbal Body Wrap mixture and bring back up to the boiling point, stirring occasionally. Cover the cooker tightly and simmer the mixture for 15 minutes, stirring occasionally. Leave mixture covered and allow to cool until comfortable to the touch.

Applying the wrap: After soaking cloths, start at the ankle, wrapping upward. After 2 or 3 cloths cover with plastic wrap to keep in the heat. After body is completely wrapped, cover with blankets or towels if needed, your body should be kept comfortably warm, recline and relax for 60 minutes.

Caution:

Keep out of reach of children.

Herbal Body Wrap is NOT for internal consumption. It is recommended that one only stays wrapped for 60 minutes per session. Drinking 8 ounces of water for 5 days after the wrap is necessary to assist in the elimination of released toxins.

Shelf Life & Storage:

Unopened, the shelf life for a container of Herbal Body Wrap is 2 years. After preparing a body wrap, the shelf life for any unused solution is 10 days if refrigerated, or if frozen in a plastic container, it can be stored indefinitely.

* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

References:

This specific product or products have not been tested for any of the potential benefits listed herein. The following references apply to studies and/or research conducted with certain ingredients, or combinations of ingredients, used in formulating this product. Such ingredients may not be from the same source or processed in the same way as the ingredients used in this product.

1) Antioxidant, free radical scavenging and anti-inflammatory effects of aloesin derivatives in Aloe vera. Yagi, A., Kabash, A., Okamura, N., Haraguchi, H., Moustafa, S.M., Khalifa, T.I. *Planta Med.* 2002 Nov;68(11):957-60. PMID: 12451482



PRODUCT DATA SHEET

- 2) Evaluation of aloe vera gel gloves in the treatment of dry skin associated with occupational exposure. West, D.P., Zhu, Y.F. *Am J Infect Control*. 2003 Feb;31(1):40-2. PMID: 12548256
- 3) Permeation-Enhancing Effect of Aloe-emodin Anthrone on Water-Soluble and Poorly Permeable Compounds in Rat Colonic Mucosa. Kai, M., Hayashi, K., Kaida, I., Aki, H., Yamamoto, M. *Biol Pharm Bull*. 2002 Dec;25(12):1608-13. PMID: 12499649
- 4) Transdermal therapeutics. Marks, S.L., Taboada, J.J. *Am Anim Hosp Assoc*. 2003 Jan-Feb;39(1):19-21. PMID: 12549609
- 5) Transdermal and oral clonidine. Lilja, M., Juustila, H., Sarna, S., Jounela, A.J. *Ann Med*. 1991 Aug;23(3):265-9. PMID: 1930916 (Aloe)
- 6) Characterization of Aloeride, a new high-molecular-weight polysaccharide from Aloe vera with potent immunostimulatory activity. Pugh, N., Ross, S.A., ElSohly, M.A., Pasco, D.S. *J Agric Food Chem* 2001 Feb 49:2 1030-4.
- 7) The therapeutic potential of Aloe Vera in tumor-bearing rats. Corsi, M.M., Bertelli, A.A., Gaja, G., Fulgenzi, A., Ferrero, M.E. *Int J Tissue React* 1998 20:4 115-8.
8. Molgaard, J., von Schenck, H., Olsson, A.G. Alfalfa seeds lower low density lipoprotein cholesterol and apolipoprotein B concentrations in patients with type II hyperlipoproteinemia. *Atherosclerosis* 1987;65:173-9.
- 9) Lin, C.C., Lin, J.M., Yang, J.J., et al. Anti-inflammatory and radical scavenge [sic] effects of *Arc-tium lappa* (Burdock). *Am J Chin Med* 1996;24:127-37.
- 10) Therapeutic use of selected herbs. Cohen, S.M., Rousseau, M.E., Robinson, E.H. *Holist Nurs Pract*. 2000 Apr;14(3):59-68.
- 11) (Capsicum) Watson, C.P. Topical capsaicin as an adjuvant analgesic. *J Pain Symptom Manage*. 1994;9:425-433.
- 12) (Chickweed) Weiss, R.F. *Herbal Medicine*. Gothenburg, Sweden: *Ab Arcanum*, 1988, 265.
- 13) (Comfrey) Duke JA. *Handbook of Phytochemical Constituents of GRAS Herbs and Other Economic Plants*. Boca Raton, FL: CRC Press, 1992.
- 14) (Cornsilk) Polunin, M. and Robbins, C. 1992 *The Natural Pharmacy*, Dorling Kindersley, London.
- 15) (Dandelion) Racz-Kotilla, E., Racz, G., Solomon, A. The action of *Taraxacum officinale* extracts on body weight and diuresis of laboratory animals. *Planta Med* 1974;26:212-7.
- 16) (Dandelion) Böhm K. Choleric action of some medicinal plants. *Arzneimittelforschung* 1959; 9:376-8.



- 17) (Dandelion) Blumenthal, M., Busse, W.R., Goldberg, A., et al. (eds). *The Complete Commission E Monographs: Therapeutic Guide to Herbal Medicines*. Boston, MA: Integrative Medicine Communications, 1998, 118-20.
- 18) (Echinacea) "Scientifying" herbal medicine. Oberbaum, M., Schlesinger, M. *Isr Med Assoc J*. 2002 Nov;4(11 Suppl):944-6.
- 19) (Fennel) Comparison between the radical scavenging activity and antioxidant activity of six distilled and nondistilled mediterranean herbs and aromatic plants Parejo, I., Viladomat, F., Bastida, J., Rosas-Romero, A., Flerlage, N., Burillo, J., Codina, C. *J Agric Food Chem*. 2002 Nov 6;50(23):6882-90.
- 20) (Fennel) Antimicrobial constituents of *Foeniculum vulgare*. Kwon, Y.S., Choi, W.G., Kim, W.J., Kim, W.K., Kim, M.J., Kang, W.H., Kim, C.M. *Arch Pharm Res*. 2002 Apr;25(2):154-7.
- 21) (Genitian) [Effect of a plant extract combination preparation on gastrointestinal transit time and bile acid excretion] Matzkies, F., Webs, B. *Fortschr Med*. 1983 Jul 28;101(27-28):1304-6.
- 22) (Ginger) Melatonin, serotonin, and tryptamine in some Egyptian food and medicinal plants. (Ginger) Badria, F.A. *Journal of Medicinal Food*. 2002 Fall;5(3):153-7.
- 23) (Ginger) Pinostrobin from honey and Thai ginger (*Boesenbergia pandurata*): a potent flavonoid inducer of mammalian phase 2 chemoprotective and antioxidant enzymes. Fahey, J.W., Stephenson, K.K. *J Agric Food Chem*. 2002 Dec 4;50(25):7472-6.
- 24) (Parsley) Effects of food materials (parsley) on removal of *Allium*-specific volatile sulfur compounds. Negishi, O., Negishi, Y., Ozawa, T. *J Agric Food Chem*. 2002 Jun 19;50(13):3856-61.
- 25) (Passionflower) Comparative biological activity study on *Passiflora incarnata* and *P. edulis*. Dhanwan, K., Kumar, S., Sharma, A. *Fitoterapia*. 2001 Aug;72(6):698-702. PMID: 11543974
- 26) [Passion Flower (*Passiflora incarnata* L.)--a reliable herbal sedative Krenn, L. *Wien Med Wochenschr*. 2002;152(15-16):404-6. Review. German. PMID: 12244887
- 27) (Passionflower) The importance of the passionflower in medicine Lutomski, J., Segiet, E., Szpunar, K., Grisse, K. *Pharm Unserer Zeit*. 1981 Mar;10(2):45-9. German. PMID: 7220564
- 28) (Passionflower) The pharmacognosy of the passion flower Brasseur, T., Angenot, L. *J Pharm Belg* 1984 Jan-Feb 39:1 15-22
- 29) [Par d' Arco (Taheebo)] Antioxidant activity and characterization of volatile constituents of Taheebo [Par d' Arco (*Tabebuia impetiginosa* Martius ex DC)]. Park, B.S., Lee, K.G., Shibamoto, T., Lee, S.E., Takeoka, G.R. *J Agric Food Chem*. 2003 Jan 1;51(1):295-300. PMID: 12502424
- 30) (Peppermint) [Hepatoprotective effect of plant preparations(peppermint)] Katikova, O.Iu., Kostin, Ia.V., Tishkin, V.S. *Eksp Klin Farmakol*. 2002 Jan-Feb;65(1):41-3.

PRODUCT DATA SHEET



HERBAL BODY WRAP

- 31) (Peppermint) Essence of peppermint, a history of the medicine and its bottle. Johns, O.R. *Hist Archaeol.* 1981;15(2):1-57
- 32) (Papaya) Carotenol fatty acid esters (from papaya): easy substrates for digestive enzymes? Breithaupt, D.E., Bamedi, A., Wirt, U. *Comp Biochem Physiol B Biochem Mol Biol.* 2002 Aug;132(4):721-8.
- 33) (Papaya) Diuretic effects of selected Thai indigenous medicinal plants (papaya) in rats. Sripanidkulchai, B., Wongpanich, V., Laupattarakasem, P., Suwansaksri, J., Jirakulsomchok, D. *J Ethnopharmacol.* 2001 May;75(2-3):185-90.
- 34) (Red Clover) Triterpene saponins and flavonoids in the seeds of *Trifolium* species (Red Clover). Oleszek, W., Stochmal, A. *Phytochemistry.* 2002 Sep;61(2):165-70. (Red Clover)
- 35) (Rosehips) Inhibitory effects of *rosa roxburghii* tratt juice on in vitro oxidative modification of low density lipoprotein and on the macrophage growth and cellular cholesteryl ester accumulation induced by oxidized low density lipoprotein. Zhang, C., Liu, X., Qiang, H., Li, K., Wang, J., Chen, D., Zhuang, Y. *Clin Chim Acta.* 2001 Nov;313(1-2):37-43 PMID: 11694237
- 36) (Bladderwrack) Hypolipidaemic activity of seaweed from Karachi coast. Ara, J., Sultana, V., Qasim, R., Ahmad, V.U. *Phytother Res.* 2002 Aug;16(5):479-83.
- 37) (Bladderwrack) Treatment of human skin with an extract of *Fucus vesiculosus* changes its thickness and mechanical properties. Fujimura, T., Tsukahara, K., Moriwaki, S., Kitahara, T., Sano, T., Takema, Y. *J Cosmet Sci.* 2002 Jan-Feb;53(1):1-9.
- 38) (Yarrow) [The antistaphylococcal properties of plant extracts (yarrow) in relation to their prospective use as therapeutic and prophylactic formulations for the skin]. Molochko, V.A., Lastochkina, T.M., Krylov, I.A., Brangulis, K.A. *Vestn Dermatol Venerol.* 1990;(8):54-6.
- 39) (Yellow Dock) Studies on the psychopharmacological activities of *Rumex nepalensis* Spreng. root extract (in Yellow Dock family) in rats and mice. Ghosh, L., Arunachalam, G., Murugesan, T., Pal, M., Saha, B.P. *Phytomedicine.* 2002 Apr;9(3):202
- 40) (Montmorillonite) Adsorption behavior of toxic tributyltin to clay-rich sediments [Montmorillonite] under various environmental conditions. Hoch, M., Alonso-Azcarate, J., Lischick, M. *Environ Toxicol Chem.* 2002 Jul;21(7):1390-7 PMID: 12109738
- 41) (Montmorillonite) A skin moisturizing cream containing Quaternium-18-Bentonite [montmorillonite] effectively improves chronic hand dermatitis. Fowler, Jr., J.F., *J Cutan Med Surg.* 2001 May-Jun;5(3):201-5. PMID: 11685665
- 42) (Montmorillonite) An investigation of the adsorption of organic dyes onto organo-montmorillonite. Lee, S.H., Song, D.I., Jeon, Y.W. *Environ Technol.* 2001 Mar;22(3):247-54. PMID: 11346281
- 43) Effect of intra-operative magnesium sulphate on pain relief and patient comfort after major lumbar orthopaedic surgery. Levaux, Ch., Bonhomme, V., Dewandre, P.Y., Brichant, J.F., Hans, P. *Anaesthesia.* 2003 Feb;58(2):131-5. PMID: 12562408

PRODUCT DATA SHEET

- 44) Magnesium infusion reduces perioperative pain. Kara, H., Sahin, N., Ulsan, V., Aydogdu, T. *Eur J Anaesthesiol.* 2002 Jan;19(1):52-6. PMID: 11913804
- 45) [The antithyrotropic effect of magnesium ions] Rachev, R., Filipova, E., Dashev, G., Milanov, S. *Vopr Med Khim.* 1974 Jan-Feb;20(1):55-9. PMID: 4454272
- 46) (Hawthorne berries) Ullsperger, R. (1951) Preliminary communication concerning a coronary vessel dilating principle from hawthorne. *Pharmazie* 6(4):141-144.
- 47) (kelp) Hypolipidaemic activity of seaweed from Karachi coast. Ara, J., Sultana, V., Qasim, R., Ahmad, V.U. *Phytother Res.* 2002 Aug;16(5):479-83.
- 48) (kelp) Treatment of human skin with an extract of *Fucus vesiculosus* changes its thickness and mechanical properties. Fujimura, T., Tsukahara, K., Moriwaki, S., Kitahara, T., Sano, T., Takema, Y. *J Cosmet Sci.* 2002 Jan-Feb;53(1):1-9.

For Use in the US Market Only



HERBAL BODY WRAP